

# NEMESIS

## Schematron Validation Rules

### EMSDataset

Version: 3.4.0.200320\_ET3200930

# NEMESIS ISO Schematron file for EMSDataSet for ET3 Project

## Overview By Validation Message

- ... **Warning** Final Patient Acuity should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** Type of Destination (the type of provider to whom care was transferred) should be recorded when Incident/Patient Disposition is "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** Last Name should be recorded when Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit" or "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** First Name should be recorded when Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit" or "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** Patient's Home County should be recorded when Incident/Patient Disposition is "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** Patient's Home State should be recorded when Incident/Patient Disposition is "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** Patient's Home ZIP Code should be recorded when Incident/Patient Disposition is "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** Race should be recorded when Incident/Patient Disposition is "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** Date of Birth should be recorded when Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit" or "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** Primary Method of Payment should be recorded when Incident/Patient Disposition is "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** Initial Patient Acuity should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".
- ... **Warning** ET3 Alternative Disposition Offer and Result should be recorded when Primary Method of Payment is "Medicare".
- ... **Warning** Transfer of EMS Patient Care Date/Time should be recorded when Incident/Patient Disposition is "Patient Treated, Transferred Care to Another Provider on Scene (non-EMS)" or "... to Telehealth Provider".

- ... **Warning** **Type of Destination** (the type of provider to whom care was transferred) should be "Qualified Health Care Partner" when **Incident/Patient Disposition** is "Patient Treated, Transferred Care to Another Provider On Scene (non-EMS)" or "Patient Treated, Transferred Care to Telehealth Provider".
- ... **Warning** The correct NEMSIS fallback code should be used when an ET3 custom value is recorded for **Incident/Patient Disposition**.
- ... **Warning** A custom value permitted by ET3 for **Incident/Patient Disposition** should not occur more than once on a PCR.
- ... **Warning** The correct NEMSIS fallback code should be used when an ET3 custom value is recorded for **Type of Destination**.
- ... **Warning** A custom value permitted by ET3 for **Type of Destination** should not occur more than once on a PCR.
- ... **Warning** ET3 Alternative Disposition Offer and Result should be a value permitted by ET3.
- ... **Warning** ET3 Alternative Disposition Offer and Result should not occur more than once on a PCR.
- ... **Warning** **Date/Time Medication Administered** should not be later than **Transfer of EMS Patient Care Date/Time**.
- ... **Warning** **Date/Time Procedure Performed** should not be later than **Transfer of EMS Patient Care Date/Time**.
- ... **Warning** **Transfer of EMS Patient Care Date/Time** should not be earlier than **Date/Time Initial Responder Arrived on Scene**.
- ... **Warning** **Transfer of EMS Patient Care Date/Time** should not be earlier than **Date/Time of Symptom Onset**.
- ... **Warning** **Transfer of EMS Patient Care Date/Time** should not be earlier than **Unit Notified by Dispatch Date/Time**.
- ... **Warning** **Transfer of EMS Patient Care Date/Time** should not be earlier than **Unit En Route Date/Time**.
- ... **Warning** **Transfer of EMS Patient Care Date/Time** should not be earlier than **Unit Arrived on Scene Date/Time**.
- ... **Warning** **Transfer of EMS Patient Care Date/Time** should not be earlier than **Arrived at Patient Date/Time**.
- ... **Warning** **Unit Back in Service Date/Time** should not be earlier than **Transfer of EMS Patient Care Date/Time**.
- ... **Warning** **Date/Time Vital Signs Taken** should not be later than **Transfer of EMS Patient Care Date/Time**.